





U-pipe support
stainless steel 316/A4 unpolished
for different pipe sizes
with each 2x nut SS-316/A4
with each 2x ring SS-316/A4
without saddle plate




	quality A4	for pipe $\varnothing$ outside	(A) thread	total high (H) (mm)	length (MD) metric thread	nuts & rings	boxes of
182239	SS-316	$\varnothing 76\text{mm}$	M 8	115mm	40mm	inclusive	25
183215	SS-316	$\varnothing 30\text{mm}$	M 10	70mm	40mm	inclusive	25
183219	SS-316	$\varnothing 38\text{mm}$	M 10	75mm	40mm	inclusive	25
183225	SS-316	$\varnothing 49\text{mm}$	M 10	87mm	36mm	inclusive	25
183231	SS-316	$\varnothing 61\text{mm}$	M 10	99mm	36mm	inclusive	25
183239	SS-316	$\varnothing 76\text{mm}$	M 10	115mm	36mm	inclusive	25
183245	SS-316	$\varnothing 89\text{mm}$	M 10	155mm	40mm	inclusive	25

U-pipe support
stainless steel polished
for different pipe sizes
with each 2x nut
with each 2x ring
with flat saddle plate 1,8mm



	quality A2, A4	for pipe $\varnothing$ outside	(A) thread	total high (H) (mm)	length (MD) metric thread	inside (G) (mm)	boxes of
180314	SS-304	$\varnothing 29\text{mm}$	M 6	90mm	$\pm 20\text{mm}$	mm	25
180319	SS-316	$\varnothing 35\text{mm}$	M 8	100mm	$\pm 20\text{mm}$	50mm	25
180322	SS-304	$\varnothing 41\text{mm}$	M 10	130mm	$\pm 52\text{mm}$	60mm	25

J-hookbolts
stainless steel 304/A2 unpolished
for mounting behind profile or for pipe $\varnothing 9\text{mm}$
without ring, without nut
without saddle plate



	quality A2	for pipe $\varnothing$ outside	(A) thread	total high (H) (mm)	length (MD) metric thread	boxes of
185217	SS-304	$\varnothing 9\text{mm}$	M 8	25/110mm	27mm	25




for screw eyes & cup hooks,
see page GB-258 & GB-259 (group 10)



PIMEX B.V.
Coenecoop 131
2741 PJ WADDINXVEEN (NL)
Tel. (31) 182 - 61 11 66
Email: info@pimex.nl

PIPE CLAMPS, stainless steel

pipe clamp saddle
stainless steel 304/A2 unpolished
strength in the middle
surface wall mounting
with 2x equal mounting lips
with 2x screwholes $\varnothing 5\text{mm}$




	quality A2	for pipe $\varnothing$ outside	length (L) (mm)	length c.t.c. (E) (mm)	width (B) (mm)	thickness (d) (mm)	boxes of
191208	SS-304	$\varnothing 8\text{mm}$	37mm	26mm	11,5	0,8	250
191216	SS-304	$\varnothing 16\text{mm}$	44mm	33mm	11,5	0,8	200
191225	SS-304	$\varnothing 25\text{mm}$	60mm	45mm	14,5	0,8	100
191232	SS-304	$\varnothing 32\text{mm}$	68mm	54mm	15	0,8	100

pipe clamp saddle
stainless steel 304/A2 unpolished
surface wall mounting
with 2x equal mounting lips
with 2x screwholes $\varnothing 7,5\text{mm}$




	quality A2	for pipe $\varnothing$ outside	length (L) (mm)	length c.t.c. (E) (mm)	width (B) (mm)	thickness (d) (mm)	boxes of
191274	SS-304	$\varnothing 50\text{mm}$	93mm	75mm	20	2	50

half pipe clamp
stainless steel 304/A2 unpolished
surface wall mounting
with 1x mounting lip with hole $\varnothing 5\text{mm}$



	quality A2	for pipe $\varnothing$ outside	length (L) (mm)	length c.t.c. (E) (mm)	width (B) (mm)	thickness (d) (mm)	boxes of
192208	SS-304	$\varnothing 8\text{mm}$	33mm	22mm	20	1,2	250
192210	SS-304	$\varnothing 10\text{mm}$	39mm	23mm	20	1,2	750
192212	SS-304	$\varnothing 12\text{mm}$	41mm	27mm	20	1,2	250
192217	SS-304	$\varnothing 16\text{mm}$	41mm	no hole	20	1,2	200
192256	SS-304	$\varnothing 14\text{mm}$	56mm	44mm ($\varnothing 7,5$)	25	3	50

pipe clamp saddle
stainless steel 304/A2 unpolished
to join 2x pipes
surface wall mounting
with 2x equal mounting lips
with 2x screwholes $\varnothing 5\text{mm}$




	quality A2	for pipe $\varnothing$ outside	length (L) (mm)	length c.t.c. (E) (mm)	width (B) (mm)	thickness (d) (mm)	boxes of
193208	SS-304	2x $\varnothing 8\text{mm}$	61mm	41mm	20	1,2	250
193212	SS-304	2x $\varnothing 12\text{mm}$	69mm	50mm	20	1,2	250

sizes specified are for indicative purposes only




PIMEX B.V.
Coenecoop 131
2741 PJ WADDINXVEEN (NL)
Tel. (31) 182 - 61 11 66
Email: info@pimex.nl

pipe clamp
stainless steel 304/A2 unpolished
pair-mounting, no shaft
with equal mounting lips
with screwholes $\varnothing 8\text{mm}$
(delivery without bolts/nuts)




	quality A2	for pipe $\varnothing$ outside	length (L) (mm)	length c.t.c. (E) (mm)	width (B) (mm)	thickness (d) (mm)	boxes of
194210	SS-304	$\varnothing 22\text{mm}$	64mm	46mm	20	2	25 pair
194214	SS-304	$\varnothing 27\text{mm}$	70mm	52mm	20	2	25 pair
194216	SS-304	$\varnothing 32\text{mm}$	75mm	57mm	20	2	25 pair
194218	SS-304	$\varnothing 38\text{mm}$	82mm	64mm	20	2	25 pair
194224	SS-304	2" $\varnothing 48\text{mm}$	100mm	79mm	25	2	25 pair
194230	SS-304	$\varnothing 60\text{mm}$	115mm	91mm	25	2	25 pair
194238	SS-304	3" $\varnothing 76\text{mm}$	131mm	104mm	30	2	25 pair

pipe clamp, hinged
stainless steel 316/A4 polished
with eye bolt SS-316/A4 M8
with knurled knob SS-316/A4 $\varnothing 16\text{mm}$
for easy opening without tools
without or with outside threaded shaft M12x75
(minimum quantity = 10 Pcs.)




	quality A4	for pipe $\varnothing$ outside	shaft (A)	width (B) (mm)	thickness (d) (mm)	boxes of
198209	SS-316	$\varnothing 18\text{mm}$	no shaft	20	3	10 Pcs
198210	SS-316	$\varnothing 18\text{mm}$	M12x75	20	3	10 Pcs
198215	SS-316	$\varnothing 32\text{mm}$ (1,25")	no shaft	20	3	10 Pcs
198216	SS-316	$\varnothing 32\text{mm}$ (1,25")	M12x75	20	3	10 Pcs
198219	SS-316	$\varnothing 38\text{mm}$ (1,5")	no shaft	20	3	10 Pcs
198220	SS-316	$\varnothing 38\text{mm}$ (1,5")	M12x75	20	3	10 Pcs

fitting strip
stainless steel 304/A2 unpolished
flexible for any use
with screwholes $\varnothing 6,5\text{mm}$ c.t.c. 20mm
(only on lengths of 10 Mtr)



	quality A2	for pipe $\varnothing$ outside	width (B) (mm)	thickness (d) (mm)	boxes of
199216	SS-304	flexible	16	0,8	10 Mtr

for hose clamps
in stainless steel 316/A4,
see page GY-989



PIMEX B.V.
Coenecoop 131
2741 PJ WADDINXVEEN (NL)
Tel. (31) 182 - 61 11 66
Email: info@pimex.nl