

hexagon domed cap nuts
stainless steel 304/A2 or 316/A4
DIN 1587, NEN 1618




	quality A2 or A4	measure M	sw mm	highness mm	boxes of
B241509	SS-316	M 4	7	8	500
B241511	SS-316	M 5	8	10	100
B241513	SS-316	M 6	10	12	100
B241516	SS-304	M 8	13	15	100
B241517	SS-316	M 8	13	15	100
B241521	SS-316	M 10	17	18	100
B241525	SS-316	M 12	19	22	50
B241533	SS-316	M 16	24	28	50

wing nuts (american type)
stainless steel 305/1.4303
DIN 315, NEN 1625



	quality 1.4303	measure M	widthness mm	highness mm	flange ø mm	boxes of
B243210	1.4303	M 5	22	11	10	100
B243212	1.4303	M 6	26	14	12	100
B243216	1.4303	M 8	30	15	14	100
B243220	1.4303	M 10	35	17	16	50

sleeve nuts with shaft
stainless steel 303/1.4305
raised countersunk slotted head



	quality 1.4305	inside measure	inside thread	outside head	outside shaft	boxes of
B245408	1.4305	M 4x12	7	7,5	5	100
B245410	1.4305	M 5x14	10	9	6	100
B245412	1.4305	M 6x15	11	10	7,5	100
B245418	1.4305	M 8x18	12	15	10	100


table: standard metric (right) thread

M 3x0,5
M 4x0,7
M 5x0,8
M 6x1
M 8x1,25
M 10x1,5
M 12x1,75
M 14x2
M 16x2
M 18x2,5
M 20x2,5
M 22x2,5
M 24x3



PIMEX B.V.
Coenecoop 131
2741 PJ WADDINXVEEN (NL)
Tel. (31) 182 - 61 11 66
Email: info@pimex.nl

PIROSTA weld-on nuts
stainless steel 304/A2/1.4301
with flat open flange




	Quality A2	inside thread	outside mm	highness mm	thickness mm	boxes of
B246212	1.4301	M 6	11x19	8	1	100
B246216	1.4301	M 8	14x22	8,5	1,2	100
B246220	1.4301	M 10	18x26	10,5	1,5	100

PIROSTA weld-on nuts
stainless steel 304/A2/1.4301
with flat open flange
with each 2x down spots




	Quality A2	inside thread	outside mm	highness mm	thickness mm	boxes of
B246236	1.4301	M 8	14x22	8,5	1,2	100

PIROSTA metric screw inserts
stainless steel 303/1.4305
with conical opening & slot
for wood, plastic and aluminium



	Quality 1.4305	inside thread	outside thread	highness mm	boxes of
B247208	1.4305	M 4	ø6,5	8	100
B247210	1.4305	M 5	M 8x1=fijn	8,5	100
B247212	1.4305	M 6	M 10	10,5	100
B247216	1.4305	M 8	M 12x1,5=fijn	15	50

PIROSTA metric screw inserts
stainless steel 303/1.4305
with conical opening & slot
with special thread for softwood




	Quality 1.4305	inside thread	outside thread	highness mm	boxes of
B247260	1.4305	M 5	ø10mm	12	100



PIMEX B.V.
Coenecoop 131
2741 PJ WADDINXVEEN (NL)
Tel. (31) 182 - 61 11 66
Email: info@pimex.nl

hexagon nuts
stainless steel 304/A2 or 316/A4
DIN 934, NEN 1560, ISO 4032



	quality A2 or A4	measure M	sw mm	highness (0,8xD) mm	boxes of
B249406	SS-304	M 3	5,5	2,4	500
B249509	SS-316	M 4	7	3,2	500
B249511	SS-316	M 5	8	4	500
B249513	SS-316	M 6	10	5	500
B249517	SS-316	M 8	13	6,5	250
B249521	SS-316	M 10	17	8	100
B249401	SS-316	M 10x1,25-fine	17	8	100
B249525	SS-316	M 12	19	10	100
B249625	SS-316	M 12	19	10 (on request: 1.4462 duplex)	1000
B249533	SS-316	M 16	24	13	100
B249541	SS-316	M 20	30	16	50
B249549	SS-316	M 24	36	19	25

selflocking hexagon nuts with nylon insert
stainless steel 304/A2 or 316/A4
DIN 985, NEN 2452



	quality A2 or A4	measure M	sw mm	highness mm	boxes of
B249808	SS-304	M 4	7	5	200
B249811	SS-316	M 5	8	5	200
B249813	SS-316	M 6	10	6	200
B249816	SS-304	M 8	13	8	200
B249821	SS-316	M 10	17	10	100
B249825	SS-316	M 12	19	12	100
B249833	SS-316	M 16	24	16	50
B249840	SS-304	M 20	30	20	25
B249849	SS-316	M 24	36	24	10




PIMEX B.V.
Coenecoop 131
2741 PJ WADDINXVEEN (NL)
Tel. (31) 182 - 61 11 66
Email: info@pimex.nl

PIROSTA knock-in metric inserts
stainless steel 303/1.4305
with open top
with milled edge base



	Quality 1.4305	inside thread	outside mm	highness mm	boxes of
B247508	1.4305	M 4	5,5/ 8	8	100
B247510	1.4305	M 5	6,5/10	10	100
B247512	1.4305	M 6	8,5/12	12	500
B247516	1.4305	M 8	10,5/15	12	500
B247520	1.4305	M 10	12,5/18	12	50

PIROSTA drive-in metric nuts
stainless steel 304/A2/1.4301
with flat open flange with 4 prongs



	quality A2	inside thread	outside (B) mm	highness mm	highness prongs	thickness mm	boxes of
B248208	1.4301	M 4	15	8	5,5	0,8	200
B248210	1.4301	M 5	17	8	5,5	1	200
B248212	1.4301	M 6	17	8	5,5	1,25	100
B248216	1.4301	M 8	19	8	5,5	1,25	100
B248220	1.4301	M 10	25	13	9	1,5	100

for stainless steel leveling glides, see page GY-890a (group 08)

cage nuts, captive nuts, clip nuts
stainless steel 304/A2/1.4301
for quick & easy mounting
(delivery on request)



	quality A2	inside thread	outside mm	highness mm	for sheet thickness mm	boxes of
B246812	1.4301	M 6	13,8x13	9,3	1,7-2,7	1000
B246816	1.4301	M 8	16,8x16,6	10,6	1,0-1,7	1000
B246818	1.4301	M 8	16,5x15,5	11	1,8-2,5 (3,0)	1000
B246820	1.4301	M 10	16,5x15,5	12	1,8-3,2	1000

type B246818 is according to standard for 3mm,
but then the wings have to be bent



PIMEX B.V.
Coenecoop 131
2741 PJ WADDINXVEEN (NL)
Tel. (31) 182 - 61 11 66
Email: info@pimex.nl


EYE NUTS, stainless steel

eye nuts
stainless steel 316/A4 casting
similar to DIN 582
(virtually better than forged)



A4
316

	quality A4	measure M	B (mm) H (mm)	D (mm) R (mm)	boxes of
B265311	SS-316	M 6	28	16	25
B265321	SS-316	M 8	36	20	25
B265331	SS-316	M 10	45	25	25
B265341	SS-316	M 12	53	30	10
B265351	SS-316	M 16	62	35	10




also possible: - sizes till M24 and/or stainless steel 304/A2

eye nuts / lifting eye nuts
stainless steel 316/A4 forged
according to DIN 582 (stronger than casting)



A4
316

	quality A4	measure M	B (mm) H (mm)	D (mm) R (mm)	boxes of
B265421	SS-316	M 8	36	20	25
B265431	SS-316	M 10	45	25	25
B265441	SS-316	M 12	53	30	10
B265461	SS-316	M 20	71	40	10
B265471	SS-316	M 24	90	50	10



also possible: - sizes till M36 and/or stainless steel 304/A2

eye nuts
stainless steel 316/A4/1.4404 mirror polished
high quality, nice finish
(no text on the flange)

A4
316



	quality A4	measure M	B (mm) widthness	H (mm) highness	D (mm) hole	R (mm) flange	breaking load (BLL)	boxes of
B265831	SS-316	M 6	25	27	13	17	1600 Kg	25
B265833	SS-316	M 8	34	36	17	22	3200 Kg	25
B265835	SS-316	M 10	42	46	22	28	4800 Kg	10
B265837	SS-316	M 12	51	56	27	34	7000 Kg	10
B265839	SS-316	M 16	51	56	27	34	8000 Kg	10

for eye plates in
stainless steel 304/316,
see page GY-170 (group 01)




for eye plates with ring
in stainless steel 316/A4,
see page GY-171 (group 01)



PIMEX B.V.
Coenecoop 131
2741 PJ WADDINXVEEN (NL)
Tel. (31) 182 - 61 11 66
Email: info@pimex.nl


bow nuts
stainless steel 316/A4/1.4408 mirror polished
high quality, nice finish
hook 45°



	quality A4	measure M	B (mm) widthness	H (mm) highness	d (mm) thickness	R (mm) flange	RH (mm)	boxes of
B266031	SS-316	M 10	70	46	8	20	15	10
B266041	SS-316	M 12	70	46	8	20	15	10
B266051	SS-316	M 16	87	55	10	28	20	10
B266061	SS-316	M 20	106	66	12	30	23	10


also possible on request: - bow nuts SS-316/A4 M8 unpolished (B266023)
- bow nuts SS-316/A4 M24 unpolished (B266073)

tail nuts (or clamping nuts)
stainless steel 304/A2 satin
lever arm is welded to the flange
(you see 2 different parts)
hook 20°
type DIN 99.6



	quality A2	measure M	C (mm) widthness	H (mm) highness	d (mm) thickness	R (mm) flange	RH (mm)	boxes of
B266220	SS-304	M 8	63	30	9	16	12,5	10
B266230	SS-304	M 10	80	37	11	20	15	10
B266240	SS-304	M 12	100	46	14	25	19	10
B266250	SS-304	M 16	125	58	18	32	25	10
B266260	SS-304	M 20	160	73	20	40	31	10

tail nuts (or clamping nuts)
stainless steel 303/A2/1.4305 satin
with 1x lever arm
(visual out of 1 piece)
hook 20°
type DIN 99-N



	quality A2	measure M	C (mm) widthness	H (mm) highness	d (mm) thickness	R (mm) flange	RH (mm)	boxes of
B266320	SS-303	M 8	63	30	10	16	12	10

also possible on request: - tail nuts in stainless steel in other sizes
- fixed machine handles in stainless steel (B26620..)




for eye bolts out of
stainless steel,
see page GB-261



PIMEX B.V.
Coenecoop 131
2741 PJ WADDINXVEEN (NL)
Tel. (31) 182 - 61 11 66
Email: info@pimex.nl

wing nuts "butterfly"
stainless steel 316/A4/1.4408
electro mirror polished
forged very strong
hook 26°




B266741
B266751
B266761

quality A4	measure M	B (mm) widthness	H (mm) highness	d (mm) thickness	R (mm) flange	RH (mm)	boxes of
SS-316	M 12	100	33	10	22	18	10
SS-316	M 16	135	43	13	30	21	10
SS-316	M 20	150	46	14	33	23	10

also possible on request: - wing nuts "butterfly" in brass (BM3667..)

wing nuts "butterfly"
stainless steel 316/A4/1.4401
according to DIN 80701
heavy duty, unpolished
forged very strong
hook 30°
(delivery on request)



B266653
B266663
B266671
B266673

quality A4	measure M	B (mm) widthness	H (mm) highness	d (mm) thickness	R (mm) flange	RH (mm)	boxes of
SS-316	M 16	200	69	12	30	24	10
SS-316	M 20	240	80	16	40	30	10
SS-316	M 24	220	75	19	45	38	1=last
SS-316	M 24	280	90	20	50	37	10

also possible on request: - wing nuts "butterfly" in brass (BM3666..)

also possible:
- tail/clamping nuts
with 1x lever arm
in stainless steel,
see page GB-263



- flat butterfly wing nut 340mm
in stainless steel 304/A2
with brass insert M20
heavy duty, type B266693
(1 Pcs. on last sale)



PIMEX B.V.
Coenecoop 131
2741 PJ WADDINXVEEN (NL)
Tel. (31) 182 - 61 11 66
Email: info@pimex.nl