



DROP NOSE PINS, stainless steel




drop nose pins
stainless steel 304/A2
with top flat head



	quality A2	measure A x T	N (mm) working	D (mm)	KH (mm) head	boxes of
B257724	SS-304	6 x 56	48	9	2,5	20
B257732	SS-304	8 x 30	20	11	2,5	20
B257734	SS-304	8 x 43	33	11	2,5	20
B257744	SS-304	10x 45	32	14	2,5	20
B257745	SS-304	10x 55	42	14	2,5	20



drop nose pins
stainless steel 316/A4 polished
with top flat grooved head




	quality A4	measure A x T	N (mm) working	D (mm)	KH (mm) head	boxes of
B257825	SS-316	6 x 62	50	12,7	4	10
B257826	SS-316	6 x 72	60	12,7	4	10
B257836	SS-316	8 x 73	60	12,7	4	10
B257837	SS-316	8 x 83	70	12,7	4	10
B257843	SS-316	10x 45	30	19	5	10
B257847	SS-316	10x 85	70	19	5	10
B257848	SS-316	10x 95	80	19	5	10
B257849	SS-316	10x105	90	19	5	10
B257865	SS-316	12x 68	50	19	5	10
B257866	SS-316	12x 78	60	19	5	10
B257867	SS-316	12x 88	70	19	5	10
B257868	SS-316	12x 98	80	19	5	10
B257869	SS-316	12x108	90	19	5	10



PIMEX B.V.
Coenecoop 131
2741 PJ WADDINXVEEN (NL)
Tel. (31) 182 - 61 11 66
Email: info@pimex.nl


DROP NOSE PINS, stainless steel



B257892

anti-luce bolt fastener
stainless steel 304/A2
total length (T) 43mm, bolt length 25mm
with thread M8x22, bolt-on
with plate 50x14x3mm


quality	measure	N (mm)	B (mm)	thread	boxes
A2	A x T	working			of
SS-304	8 x 43	5,5	ø12,7	M8x22	10



B257897

anti-luce bolt fastener
stainless steel 304/A2
total length (T) 50mm, bolt length 25mm
with thread M12x19, bolt-on
with plate 71x20x5mm


quality	measure	N (mm)	B (mm)	thread	boxes
A2	A x T	working			of
SS-304	12 x 50	6	ø19	M12x19	10



B257899

anti-luce bolt fastener
stainless steel 304/A2
total length (T) 38mm, bolt ø12,5x12,5mm
without thread, weld-on
with plate 71x20x5mm

quality	measure	N (mm)	B (mm)	boxes
A2	A x T	working		of
SS-304	12,5x38	6	ø19	10



B257220

B257231

B257241

B257248

B257255


parallel keys
stainless steel 316/A4
with rounded ends
(delivery on request)

quality	measure	L (mm)	boxes
A4	A x T	length	of
SS-316	5 x 5	16	50
SS-316	6 x 6	20	50
SS-316	8 x 7	45	20
SS-316	8 x 7	90	20
SS-316	10 x 8	63	20



PIMEX B.V.
Coenecoop 131
2741 PJ WADDINXVEEN (NL)
Tel. (31) 182 - 61 11 66
Email: info@pimex.nl


BOLT WITH HEAD, stainless steel



B258007
B258009
B258011
B258013
B258017

bolt with head
stainless steel 316/A4
with hole for pin


quality A4	measure A x T	C (mm) till centre	D (mm)	P (mm) hole	boxes of
SS-316	6 x 19	16	9	1,6	20
SS-316	8 x 24	20	12	2	20
SS-316	10x 29	24	14	3	20
SS-316	12x 35	30	17	4	20
SS-316	16x 46	38	21	4	20



B258157

bolt without head
stainless steel 316/A4
with 2x hole for pin

quality A4	measure A x T	C (mm) till centre	P (mm) hole	boxes of
SS-316	12x 56	46	4	20



B258504
B258505

ball lock pin
stainless steel 304/A2
with split key ring
(delivery on request)


quality A2	measure A x T	N (mm)	boxes of
SS-304	5 x 28	13	25
SS-304	6 x 35	22	25




B258524
B258525
B258526
B258528

ball lock pin
stainless steel 303/1.4305
with stainless steel push button
with 2x hardened stainless steel balls & spring
press the spring-loaded push button to unlock
(delivery on request)

quality 1.4305	measure A x T	N (mm)	D (mm)	KH (mm) head	boxes of
SS-303	6 x 27	20	10	26	20
SS-303	6 x 32	25	10	26	20
SS-303	6 x 37	30	10	26	20
SS-303	6 x 47	40	10	26	20




PIMEX B.V.
Coenecoop 131
2741 PJ WADDINXVEEN (NL)
Tel. (31) 182 - 61 11 66
Email: info@pimex.nl



round head pins (rivets)
stainless steel 304/A2 unpolished

B230440
B230550
B230599
B230660
B230676
B230790

quality A2	measure A x T	D (mm)	KH (mm) head	boxes of
SS-304	4 x 40	7	2,2	100
SS-304	5 x 50	8,8	3	100
SS-304	5 x100	8,8	3	100
SS-304	6 x 64	10	4	100
SS-304	6 x 76	10	4	100
SS-304	7 x 89	11,8	4,5	100



grooved pins, parallel grooved
stainless steel 301/1.4310
(DIN 1473)

B257425

quality 1.4310	measure A x T	boxes of
SS-301	2,5x8	100




split pin
stainless steel 304/A2 or 316/A4
(DIN 94, NEN 182, ISO 1234)

B258712
B258822
B258723
B258834
B258743
B258744
B258755
B258757
B258768

quality 1.4310	measure A x T	boxes of
SS-304	1,6x 20	100
SS-316	2 x 20	100
SS-304	2 x 30	100
SS-316	3,2x 40	100
SS-304	4 x 30	200
SS-304	4 x 40	200
SS-304	5 x 50	100
SS-304	5 x 70	50
SS-304	6 x 80	50

for stainless steel split key ring, see page GY-121 (group 01)



B258990

plastic box "split pins"
universal box with transparant cover
with all kind of stainless steel split pins
7 different measures
total 280 Pcs.




PIMEX B.V.
Coenecoop 131
2741 PJ WADDINXVEEN (NL)
Tel. (31) 182 - 61 11 66
Email: info@pimex.nl

SPRING PINS, stainless steel




spring cotter pins
stainless steel 316/A4/1.4401
with single loop
DIN 11024
(beta clips)




	quality	measure A x C/L	for hole	for rod	W (mm)	D (mm)	boxes of
B258227	SS-316	2 x 42/49	2,5	8-14	23	10	50
B258237	SS-316	3 x 60/72	3,5	10-16	33	18	50
B258247	SS-316	4 x 64/78	4,5	16-20	33	20	50
B258259	SS-316	5 x 85/102	6	20-28	45	25	50
B258269	SS-316	6 x 105/126	7	28-40	58	30	50



spring cotter pins
stainless steel 316/A4/1.4401
with double loop
DIN 11024 (double eye)




	quality	measure A x C/L	for hole	for rod	W (mm)	D (mm)	boxes of
B258325	SS-316	2,2 x 44/56	2,5	9-11	28	19	50
B258336	SS-316	3 x 50/62	3,5	11-14	29	19	50



lynch pin
stainless steel 303/1.4305 or
stainless steel 316/A4/1.4401
with safety ring (ring catch)
with or without small hole

	quality	measure A x C/L	for hole	for rod	B (mm)	hole (S)	boxes of
B258423	SS-303	4,5 x 32/48	5	25	34	yes	50
B258424	SS-316	4,5 x 42/50	5	25	45	no	50
B258433	SS-316	6,0 x 48/56	7	32	50	no	50
B258445	SS-316	7,5 x 48/56	8	32	50	no	50
B258464	SS-303	10,5 x 55/66	12		48	yes	3/200



PIMEX B.V.
Coenecoop 131
2741 PJ WADDINXVEEN (NL)
Tel. (31) 182 - 61 11 66
Email: info@pimex.nl