


PIROSTA plain washers
stainless steel 304/A2 or 316/A4
DIN 9021 (NEN 2276, ISO 7093)



	Quality A2, A4	inside for	outside ø mm	thickness mm	inside ø mm	boxes of
B250206	SS-304	for M 3	9	0,8	3,2	1000
B250208	SS-304	for M 4	12	1	4,3	1000
B250211	SS-316	for M 5	15	1,5	5,3	500
B250213	SS-316	for M 6	18	1,6	6,4	500
B250217	SS-316	for M 8	24	2	8,4	200
B250221	SS-316	for M 10	30	2,5	10,5	200
B250225	SS-316	for M 12	40	3	13	100
B250233	SS-316	for M 16	50	3	17	100
B250241	SS-316	for M 20	60	4	21	100

plain washers
stainless steel 304/A2 or 316/A4
DIN 125-A (NEN 2269-A, ISO 7089)




	Quality A2, A4	inside for	outside ø mm	thickness mm	inside ø mm	boxes of
B251206	SS-304	for M 3	7	0,5	3,2	2000
B251209	SS-316	for M 4	9	0,8	4,3	2000
B251211	SS-316	for M 5	10	1	5,3	500
B251212	SS-304	for M 6	12	1,6	6,4	500
B251217	SS-316	for M 8	16	1,6	8,4	500
B251221	SS-316	for M 10	20	2	10,5	200
B251225	SS-316	for M 12	24	2,5	13	100
B251233	SS-316	for M 16	30	3	17	100
B251241	SS-316	for M 20	37	3	21	100
B251249	SS-316	for M 24	44	4	25	100
B251425	SS-316	for M 12	20	2	13 (DIN 433)	100



PIMEX B.V.
Coenecoop 131
2741 PJ WADDINXVEEN (NL)
Tel. (31) 182 - 61 11 66
Email: info@pimex.nl



spring lock washers
stainless steel 316/A4
DIN 127-B (NEN 1197-B)



	Quality A4	inside for	outside ø mm	thickness mm	boxes of
B251709	SS-316	for M 4	7	0,9	2000
B251711	SS-316	for M 5	9	1,2	500
B251713	SS-316	for M 6	11	1,6	500
B251717	SS-316	for M 8	14	2	500
B251721	SS-316	for M 10	17	2,2	200
B251725	SS-316	for M 12	20	2,5	100
B251733	SS-316	for M 16	26	3,5	100
B251741	SS-316	for M 20	32	4	100

serrated toothed washers
stainless steel 316/A4
DIN 6798 (flat)




	Quality A4	inside for	outside ø mm	thickness mm	inside ø mm	boxes of
B251809	SS-316	for M 4	8	0,5	4,3	1000
B251813	SS-316	for M 6	11	0,7	6,4	1000

toothed lock washers
stainless steel 304/A2
DIN 6797 (flat)




	Quality A2	inside for	outside ø mm	thickness mm	inside ø mm	boxes of
B251908	SS-304	for M 4	8	0,5	4,3	500

B250290 plastic box "washers"
universal box with transparant cover
with all kind of stainless steel washers M4 - M10
plain washers, spring lock washers
total 725 Pcs.



PIMEX B.V.
Coenecoop 131
2741 PJ WADDINXVEEN (NL)
Tel. (31) 182 - 61 11 66
Email: info@pimex.nl


cup washers
pressed open type
for countersunk screws



	quality A2	inside $\varnothing$ hole (mm)	outside $\varnothing$ (mm)	highness (mm)	for chipboard screws:	boxes of
B255106	SS-304	3,2mm	9	2	2,5mm and 3mm	1000
B255108	SS-304	4,0mm	11	2	3,5mm and M4	1000
B255208	SS-304	4,8mm	13	2	4mm, 4,5mm and M4	1000
B255210	SS-304	5,5mm	15	3	5mm and M5	1000
B255212	SS-304	6,6mm	17	3	6mm and M6	1000
B255214	SS-304	7,4mm	20	4		500


for stainless steel chipboard screws, see page GB-270

cup washers
massive type
for countersunk screws



	quality A4	inside $\varnothing$ hole (mm)	outside $\varnothing$ (mm)	highness (mm)	for chipboard screws:	boxes of
B255519	SS-316	7,0mm	16	3,5	6mm and M6	100
B255525	SS-316	9,0mm	22	4,5	8mm and M8	100

retaining rings for shaft
stainless steel 1.4122
DIN 471




	Quality 1.4122	for shaft (a) mm	thickness mm	for groove (g) mm	boxes of
B256410	1.4122	for $\varnothing$ 5mm	0,6	4,7	100
B256428	1.4122	for $\varnothing$ 14mm	1	12,9	100
B256430	1.4122	for $\varnothing$ 15mm	1	13,8	100
B256436	1.4122	for $\varnothing$ 18mm	1,2	16,5	50




PIMEX B.V.
Coenecoop 131
2741 PJ WADDINXVEEN (NL)
Tel. (31) 182 - 61 11 66
Email: info@pimex.nl

welded round ring
stainless steel 304/A2 polished or
stainless steel 316/A4 polished



	quality A2 or A4	thickness (mm)	inside ø (mm)	outside ø (mm)	boxes of
122342	SS-316	4mm	25mm	33mm	50
122353	SS-316	5mm	30mm	40mm	50
122363	SS-316	6mm	30mm	42mm	50
122364	SS-316	6mm	45mm	57mm	50
122284	SS-304	8mm	43mm	59mm	50
122385	SS-316	8mm	50mm	66mm	50
122298	SS-304	10mm	75mm	95mm	20

welded "D" ring
stainless steel 304/A2 polished or
stainless steel 316/A4 polished
with opening for band/belt




	quality A2 or A4	thickness (mm)	inside high	inside width	outside width	boxes of
123255	SS-316	5mm	32mm	45mm	55mm	50
123285	SS-304	8mm	31mm	50mm	66mm	10

split key ring
stainless steel 304/A2 or
stainless steel 420/1.4034 (harded)



	quality	thickness (mm)	inside ø (mm)	outside ø (mm)	boxes of
124232	SS-304	1,3mm	13mm	16mm	100
124235	SS-304	1,5mm	16mm	20mm	100
124236	SS-304	1,5mm	21mm	24mm	100
124240	SS-420	1,9mm	26mm	30mm	100
124247	SS-420	1,7mm	31mm	35mm	100
124249	SS-420	2,2mm	30mm	35mm	100

split key ring
stainless steel 316/A4 polished
with inside arm



	quality A4	thickness (mm)	inside ø (mm)	outside ø (mm (u))	boxes of
125215	SS-316	1,25mm	12,5mm	15mm	100
125220	SS-316	1,5mm	18mm	20mm	100
125225	SS-316	1,8mm	21,4mm	25mm	100

for split pins out of stainless steel,
see page GB-255b (group 10)

